

# TRITEC

ENERGY FOR A BETTER WORLD

## TRI-ROOF+

The perfect mounting solution  
for roof-integrated PV systems.

- secure
- aesthetic
- efficient

### The main advantages:

- Floating in-roof system, thus no thermal separation necessary
- Closed module surface for highest aesthetics
- Special profiles for maximum water impermeability
- Optimum load distribution and stability
- Suitable for all common framed solar modules


[www.tritec-energy.com](http://www.tritec-energy.com)

# TRI-ROOF+ FOR IN-ROOF

This way you easily increase your efficiency


The TRI-ROOF+ in-roof mounting system replaces parts of the roof or the entire roof covering. Thanks to smart planning software and patented SafeClick mounting, the PV in-roof insertion system is extremely safe and easy to install on the roof. The innovative water drainage system ensures safe drainage of rainwater. The PV modules are easily inserted into the insertion profiles and are held in place by their own weight. Additional fastening of the modules is completely unnecessary.

## This is how clever TRI-ROOF+ is installed




### 1. Attach the substructure

The substructure is mounted directly onto the roof battens. The rainwater is safely drained off via the innovative water drainage system.




### 3. Clicking the TS insert profiles into the SafeClick

The insertion profiles are clicked into the SafeClick and are floatingly connected to the roof. Damage to the roof and module caused by thermal expansion is thus avoided.



### 2. Mounting the SafeClicks

The SafeClick elements are screwed onto the IP in-roof profiles at the specified distance on the entire substructure according to the instructions.



### 4. Inserting the modules into the TS insertion profiles

















The modules are inserted into the insertion profiles and are held in place by their own weight - there is no need for additional fastening.

# SYSTEM COMPONENTS

All components at a glance

With TRITEC you have the choice: Some components for the PV in-roof system TRI-ROOF+ are available in the color selection „black“ and „blank“ (aluminum silver). Completely tailored to your needs: The profiles and variants marked with \* are available in different lengths on request.

Colour key: ● black | ○ blank


 <p><b>TRI-STAND insertion profile</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• variants: TS-30/32/35/38/40</li> <li>• colour selection black / blank</li> <li>• available in different lengths*</li> </ul>	 <p><b>TRI-STAND end profile</b> ● ○ Optional</p> <ul style="list-style-type: none"> <li>• variants: TS-30/32/35/40</li> <li>• colour selection black / blank</li> <li>• available in different lengths*</li> </ul>	 <p><b>TRI-ROOF+ in-roof profile IP 3,80 m</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1503174</li> </ul>	 <p><b>TRI-ROOF+ horizontal rail TR-H 3,50 m</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1503187</li> </ul>
 <p><b>TRI-STAND SafeClick-Torx</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• black, item no.: 1502963</li> <li>• blank, item no.: 1502870</li> </ul>	 <p><b>TRI-STAND insertion profile connector TS-C</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• black, item no.: 1502417</li> <li>• blank, item no.: 1502216</li> </ul>	 <p><b>TRI-STAND end bracket TS-E</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• black, item no.: 1502307</li> <li>• blank, item no.: 1502214</li> </ul>	 <p><b>TRI-ROOF+ IP profile connector IP-C</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502929</li> </ul>
 <p><b>TRI-ROOF+ end plate below AU</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502931</li> </ul>	 <p><b>TRI-ROOF+ mounting clip TR-C</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502544</li> </ul>	 <p><b>TRI-ROOF+ in-roof profile holder IP-U</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502930</li> </ul>	 <p><b>TRI-ROOF+ end support TR-E+</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1503031</li> </ul>
 <p><b>TRI-ROOF+ centre support TR-M</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502667</li> </ul>	 <p><b>TRI-ROOF+ spacer TR-D</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502668</li> </ul>	 <p><b>TRI-ROOF+ flat connector</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502308</li> </ul>	 <p><b>TRI-ROOF+ drip tray TR-H</b> ● ○ Standard</p> <ul style="list-style-type: none"> <li>• item no.: 1502965</li> </ul>

\* Information on lengths and part numbers on request

## LEARN MORE


Videos, planning and contact

# TRITEC



Simply scan the QR code or visit the following the following link for more information about TRI-ROOF+, such as installation video, mounting instructions and references.

[www.tritec-energy.com/en/pv-mounting-systems/tri-roof/](http://www.tritec-energy.com/en/pv-mounting-systems/tri-roof/)



Just scan the QR code or visit the following link to watch the training video on our TRI-DESIGN planning software.

[www.tritec-energy.com/en/training/tri-design-basic/](http://www.tritec-energy.com/en/training/tri-design-basic/)

### The optimal mounting solution for every roof

TRITEC mounting systems combine over 30 years of photovoltaic experience. Our own products TRI-STAND, TRI-ROOF+, TRI-CLIP and TRI-FLAT Easyspeed offer optimum PV mounting solutions for the various requirements of different roof types and alignments. We attach great importance to the high-quality processing of the components as well as to the durability of the substructure.

Further information and the download of the assembly instructions you will find on our homepage [www.tritec-energy.com](http://www.tritec-energy.com).

Or just talk to us directly. Our experts are at your disposal to answer all your questions.

### Contact

[info@tritec-energy.com](mailto:info@tritec-energy.com)  
[www.tritec-energy.com](http://www.tritec-energy.com)